


TXUN R 2



Township N. XVIII North, Range N. II West 2. Mer. surveyed by Josephus Collett. 1820

Description of the Soil on the interior sectional lines.

Section	Quality 1 st	Section	Quality 2 nd	Section	Quality 3 rd
36.18	Same level 2 nd rate, N. Cal. Hickory, Peach, Sugar, 119.5 th fine	36.20	Same level, rich, N. Cal. Hickory, Peach, Sugar, 119.5 th fine	36.22	Same level, rolling, Mahout, N. Cal. Hickory, 119.5 th fine
36.08	Same	36.24	Same	36.24	Same? level
36.78	Same	36.28	Same	36.28	Same?
36.20	Same	36.32	Same	36.32	Same?
36.42	Same	36.36	Same	36.36	Same?
36.50	Same	36.40	Same	36.40	Same?
36.65	Same	36.44	Same	36.44	Same?
36.77	Same	36.48	Same	36.48	Same?
36.27	Same	36.52	Same	36.52	Same?
36.15	Same	36.56	Same	36.56	Same?
36.41	Same	36.60	Same	36.60	Same?
36.91	Same	36.64	Same	36.64	Same?
		36.68	Same	36.68	Same?
		36.72	Same	36.72	Same?
		36.76	Same	36.76	Same?
		36.80	Same	36.80	Same?
		36.84	Same	36.84	Same?
		36.88	Same	36.88	Same?
		36.92	Same	36.92	Same?
		36.96	Same	36.96	Same?
		37.00	Same	37.00	Same?
		37.04	Same	37.04	Same?
		37.08	Same	37.08	Same?
		37.12	Same	37.12	Same?
		37.16	Same	37.16	Same?
		37.20	Same	37.20	Same?
		37.24	Same	37.24	Same?
		37.28	Same	37.28	Same?
		37.32	Same	37.32	Same?
		37.36	Same	37.36	Same?
		37.40	Same	37.40	Same?
		37.44	Same	37.44	Same?
		37.48	Same	37.48	Same?
		37.52	Same	37.52	Same?
		37.56	Same	37.56	Same?
		37.60	Same	37.60	Same?
		37.64	Same	37.64	Same?
		37.68	Same	37.68	Same?
		37.72	Same	37.72	Same?
		37.76	Same	37.76	Same?
		37.80	Same	37.80	Same?
		37.84	Same	37.84	Same?
		37.88	Same	37.88	Same?
		37.92	Same	37.92	Same?
		37.96	Same	37.96	Same?
		38.00	Same	38.00	Same?

Township 18 North, Range 11 West of 2nd Meridian

Interior Section Corners described Interior Quarter Section Corners

Posts	Bearing	Feet	Courses	Feet	Notes
A Sugar	9	N 44 E 4			
a do	11	S 26 W 27			
B Hickory	20	S 10 W 25			
b Maple	24	N 10 E 14			
C Beech	12	S 18 E 26			
c Spruce	10	S 8 E 10			
D B. Oak	30	N 45 W 15			
d Beech	12	South			
E W. Oak	15	N 41 W 4			
e Sugar	10	S 45 E 22			
F W. Oak	18	S 48 E 18			
f W. Ash	12	West			
G Beech	9	N 15 W 47			
g Elm	30	S 14 E 33			
h do	12	S 45 E 17			
h Beech	11	S 5 E 40			
i B. Oak	36	S 42 W 13			
j W. Ash	6	S 31 E 18			
I Hornbeam	10	S 85 W 14			
i W. Oak	30	South			
l M. Ash	12	S 40 W 25			
do	12	S 52 W 35			
II Beech	10	S 2 W 11			
II W. Oak	24	S 4 W 13			
II Beech	19	S 86 W 5			
II W. Oak	30	S 46 E 10			
II S. Oak	10	S 42 E 13			
do	27	S 43 W 8			
Blue Ash	11	N 74 W 13			
III Sugar	11	S 84 E 13			
do	8	S 15 E 9			
do	10	S 40 E 16			
III Beech	11	S 85 W 22			
III W. Oak	30	S 43 E 44			
III Hickory	14	S 15 W 17			
S. Oak	38	S 23 E 37			
III Elm	15	S 37 W 43			
O W. Oak	48	S 55 E 17			
B. Ash	10	S 19 W 18			
o Sugar	9	S 51 W 21			
Buckeye	12	East			
P Beech	8	S 16 E 22			
Sugar	11	S 44 W 22			
P W. Ash	18	S 77 E 18			
Hickory	12	S 84 W 5			
Q Elm	18	S 40 E 18			
S. Oak	36	S 7 W 40			
Q Beech	9	S 4 E 25			
Sugar	10	S 52 W 5			
R Beech	9	S 47 W 10			
Sugar	18	S 45 E 14			
R Beech	10	S 80 E 30			
do	9	S 44 W 23			
R Buckeye	40	S 49 E 20			
Beech	12	S 60 W 25			
R Beech	10	S 40 W 33			
W. Oak	18	S 14 E 53			
T Beech	24	West			
do	1	S 52 E 34			
U B. Oak	20	South			
V W. Oak	24	S 65 W 30			
W. Ash	16	S 4 W 20			
W Spruce	10	S 12 W 13			
W W. Ash	24	S 25 W 40			
X Sugar	18	S 10 E 10			
X Sugar	16	S 59 W 24			
Y Beech	12	S 69 E 33			
Y Elm	30	S 15 W 25			

Section's	Bearing	Feet	Courses	Feet	Notes
23 24 33 36	Sugar	18	S 84 E 11		
23 24 25 26	Beech	10	S 70 W 4		
23 24 25 26	Buckeye	10	S 56 E 20		
23 24 25 26	do	6	S 61 W 23		
23 24 25 26	Beech	16	S 7 E 16		
23 24 25 26	Hornbeam	20	S 83 W 9		
23 24 25 26	Beech	15	S 69 E 18		
23 24 25 26	W. Oak	30	S 46 W 15		
23 24 25 26	W. Oak	18	S 58 W 17		
23 24 25 26	do	14	S 7 E 17		
23 24 25 26	do	12	S 42 E 15		
23 24 25 26	do	10	S 82 W 17		
23 24 25 26	Hickory	15	S 30 E 11		
23 24 25 26	do	12	S 63 W 13		
23 24 25 26	W. Oak	20	S 56 E 28		
23 24 25 26	Spruce	10	S 47 W 21		
23 24 25 26	Spruce	15	S 27 E 0		
23 24 25 26	Sugar	6	S 31 W 13		
23 24 25 26	Beech	12	S 19 E 11		
23 24 25 26	Beech	20	S 80 W 37		
23 24 25 26	Beech	15	S 11 W 2		
23 24 25 26	do	10	S 31 W 30		
23 24 25 26	Beech	12	S 23 E 37		
23 24 25 26	B. Ash	10	S 83 W 2		
23 24 25 26	Maple	20	S 30 W 16		
23 24 25 26	do	12	S 38 E 17		
23 24 25 26	Beech	10	S 55 E 10		
23 24 25 26	do	13	S 51 W 17		
23 24 25 26	do	12	S 32 E 16		
23 24 25 26	do	20	S 32 W 40		
23 24 25 26	Beech	18	S 53 W 9		
23 24 25 26	do	10	S 43 E 11		
23 24 25 26	Beech	12	S 10 E 8		
23 24 25 26	do	12	South		
23 24 25 26	Sugar	10	S 60 W 3		
23 24 25 26	Beech	10	S 48 E 20		
23 24 25 26	Spruce	12	S 30 E 28		
23 24 25 26	Beech	15	S 55 W 12		
23 24 25 26	do	15	S 24 W 16		
23 24 25 26	do	14	S 45 W 1		
23 24 25 26	Sugar	14	S 30 W 22		
23 24 25 26	Hickory	15	S 37 E 10		
23 24 25 26	Sugar	15	S 32 W 24		
23 24 25 26	Elm	12	S 3 W 26		
23 24 25 26	W. Oak	20	S 48 W 14		
23 24 25 26	Beech	12	S 10 E 10		
23 24 25 26	Beech	10	S 12 W 23		
23 24 25 26	W. Oak	15	S 7 W 10		
23 24 25 26	Beech	15	S 43 E 10		
23 24 25 26	do	8	S 3 E 12		

Section's	Bearing	Feet	Courses	Feet	Notes
1 to 2	Beech	15	S 47 E 21		
1 to 2	Elm	10	S 67 E 31		
2 to 3	W. Ash	10	S 30 W 24		
2 to 3	Hornbeam	6	East		
2 to 3	Elm	24	S 63 E 16		
2 to 3	do	16	S 64 W 8		
2 to 3	W. Ash	24	S 32 E 23		
2 to 3	W. Ash	8	S 73 W 12		
2 to 3	Sugar	5	S 62 E 18		
2 to 3	Beech	12	S 11 E 29		
2 to 3	Beech	18	S 36 E 22		
2 to 3	do	12	S 4 E 3		
2 to 3	Beech	12	S 45 E 17		
2 to 3	do	8	S 20 W 15		
2 to 3	Hickory	16	S 15 W 6		
2 to 3	Hornbeam	5	S 20 E 11		
2 to 3	Hickory	18	S 24 W 24		
2 to 3	Beech	16	S 14 W 6		
2 to 3	W. Oak	40	S 55 W 5		
2 to 3	Beech	10	S 85 E 5		
2 to 3	W. Oak	30	S 48 E 7		
2 to 3	do	60	S 63 W 12		
2 to 3	Beech	12	S 4 W 11		
2 to 3	do	10	S 47 W 11		
2 to 3	Beech	12	S 50 W 12		
2 to 3	W. Oak	36	S 48 W 6		
2 to 3	Spruce	15	S 13 E 21		
2 to 3	W. Ash	6	S 40 W 16		
2 to 3	W. Ash	24	S 16 E 20		
2 to 3	Sugar	6	S 63 W 7		
2 to 3	Beech	10	S 84 W 23		
2 to 3	W. Oak	20	S 32 W 21		
2 to 3	W. Oak	10	S 31 E 13		
2 to 3	do	8	S 24 W 22		
2 to 3	W. Oak	24	S 65 E 23		
2 to 3	Beech	16	S 15 W 20		
2 to 3	W. Oak	30	S 43 E 20		
2 to 3	Sugar	12	S 56 W 18		
2 to 3	W. Oak	15	S 59 W 3		
2 to 3	Beech	18	S 31 E 15		
2 to 3	W. Oak	36	S 20 E 25		
2 to 3	do	20	S 45 E 15		
2 to 3	B. Ash	16	S 47 W 34		
2 to 3	Elm	24	S 13 E 16		
2 to 3	Beech	15	S 55 E 9		
2 to 3	do	12	S 19 W 14		
2 to 3	Sugar	14	S 48 W 33		
2 to 3	do	8	S 4 E 11		
2 to 3	do	24	S 29 E 13		
2 to 3	Hickory	18	S 29 E 20		
2 to 3	do	14	S 5 W 34		
2 to 3	W. Ash	12	S 37 E 17		
2 to 3	Beech	18	S 11 W 15		
2 to 3	W. Oak	36	S 23 E 8		
2 to 3	Hickory	30	S 53 E 10		
2 to 3	Elm	21	S 30 W 3		
2 to 3	Sugar	14	S 36 E 20		
2 to 3	W. Oak	36	South		
2 to 3	W. Oak	20	S 48 E 25		
2 to 3	W. Ash	20	S 63 W 24		
2 to 3	W. Oak	18	S 80 E 4		
2 to 3	Sugar	12	S 36 W 4		
2 to 3	Beech	16	S 20 W 28		
2 to 3	Hickory	12	S 10 E 14		
2 to 3	W. Ash	15	S 9 E 33		
2 to 3	B. Ash	10	S 36 E 17		
2 to 3	Elm	30	S 15 W 12		
2 to 3	W. Ash	7	East		
2 to 3	Beech	18	S 12 E 12		
2 to 3	W. Oak	24	S 33 W 38		
2 to 3	W. Oak	10	S 20 W 7		
2 to 3	Elm	18	S 43 W 14		
2 to 3	Sugar	18	S 54 E 20		
2 to 3	W. Oak	12	South		
2 to 3	W. Oak	30	S 78 W 11		
2 to 3	Sugar	10	S 29 E 18		
2 to 3	Hornbeam	8	S 28 E 17		
2 to 3	W. Ash	10	S 16 E 14		
2 to 3	W. Oak	18	S 24 E 15		
2 to 3	Beech	12	S 38 W 14		
2 to 3	Beech	16	S 50 W 19		
2 to 3	Spruce	12	S 46 E 39		
2 to 3	Beech	12	S 82 E 13		
2 to 3	do	10	S 62 W 30		

Interior Quarter Section Corners

Section's	Bearing	Feet	Courses	Feet	Notes
1 to 2	W. Oak	15	S 60 W 7		
1 to 2	Beech	10	S 33 E 6		
1 to 2	Sugar	10	S 52 E 10		
1 to 2	Beech	10	S 36 E 12		
1 to 2	B. Ash	12	S 72 E 16		
1 to 2	Elm	36	S 31 W 12		
1 to 2	Sugar	10	S 74 W 17		
1 to 2	do	10	S 76 E 12		
1 to 2	Sugar	5	S 64 E 17		
1 to 2	Beech	10	S 55 E 17		
1 to 2	Sugar	16	South		
1 to 2	Hornbeam	10	S 4 W 21		
1 to 2	Beech	18	S 15 E 26		
1 to 2	do	16	S 21 W 25		
1 to 2	Hornbeam	10	S 45 W 14		
1 to 2	W. Ash	24	S 31 E 35		
1 to 2	W. Oak	10	S 51 W 23		
1 to 2	Beech	10	S 32 E 9		
1 to 2	Beech	12	S 35 E 18		
1 to 2	B. Ash	18	S 6 W 21		
1 to 2	Elm	30	S 82 W 25		
1 to 2	Hornbeam	8	S 29 W 17		
1 to 2	Sugar	24	S 40 E 35		
1 to 2	Beech	24	S 11 W 40		
1 to 2	Sugar	12	S 21 E 10		
1 to 2	do	10	S 21 W 13		
1 to 2	Hornbeam	30	S 55 W 21		
1 to 2	B. Ash	14	S 55 E 13		
1 to 2	B. Ash	12	S 60 E 34		
1 to 2	Elm	24	S 28 E 24		
1 to 2	Sugar	12	S 72 W 14		
1 to 2	Beech	10	S 82 E 34		
1 to 2	W. Oak	16	S 12 W 11		
1 to 2	W. Oak	10	S 52 W 34		
1 to 2	Sugar	12	S 12 E 11		
1 to 2	do	14	S 43 E 12		

Township N^o XVIII North, Range N^o III West 2^d Mer.

184.77 Sec 6	177.08 Sec 5	179.14 Sec 4	177.50 Sec 3	175.43 Sec 2	174.57 Sec 1	175.11 Sec 12	175.23 Sec 11	174.40 Sec 10	174.28 Sec 9	171.18 Sec 8	166.68 Sec 7
165.48 Sec 7	164.44 Sec 8	164.52 Sec 9	164.24 Sec 10	163.24 Sec 11	162.44 Sec 12	160.87 Sec 13	160.39 Sec 14	157.96 Sec 15	155.38 Sec 16	152.77 Sec 17	150.00 Sec 18
136 40.92 Sec 19	130 40.52 Sec 20	125 40.10 Sec 21	120 39.68 Sec 22	115 39.26 Sec 23	110 38.84 Sec 24	105 38.42 Sec 25	100 38.00 Sec 26	95 37.58 Sec 27	90 37.16 Sec 28	85 36.74 Sec 29	80 36.32 Sec 30
75 40.10 Sec 31	70 39.68 Sec 32	65 39.26 Sec 33	60 38.84 Sec 34	55 38.42 Sec 35	50 38.00 Sec 36	45 37.58 Sec 37	40 37.16 Sec 38	35 36.74 Sec 39	30 36.32 Sec 40	25 35.90 Sec 41	20 35.48 Sec 42

Total Quantity 23.257.69

INDIANA.
N & W 2 P. M.

IND

Att: Copy from the Original on file in this office.
Surveyor General's Office. Feb. 21st 1821-

Edward Duffin Sur. Genl

43

A true copy from the Original on file in this office
Surveyor General's Office. Feb. 21st 1891.

Edward Tiffin